

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3106	(709/231,232,233,234,235).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 11:18
S2	3772	(709/238,239,240,241,242,249). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:54
S3	301	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:54
S4	200	S3 and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:55
S5	106	S3 and bandwidth and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:56
S6	7	S3 and (monitor same bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:58
S7	3018	(monitor same bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:58
S8	442	(user or client or person or "user computer") same (monitor same bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:41
S9	52	(user or client or person or "user computer") same (monitor adj3 bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:59

S10	3	S1 and (user or client or person or "user computer") same (monitor adj3 bandwidth) and @ad<=""20001220""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:00
S11	22	(user or client or person or "user computer") same (monitor adj3 bandwidth) and (re\$order\$4 or re\$number\$4 or re\$arrang\$4) and @ad<=""20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:08
S12	21	(user or client or person or "user computer") same (monitor adj3 bandwidth) and (re\$order\$4 or re\$number\$4 or re\$arrang\$4) same (user or client\$2 or person\$2 or "user computer") and @ad<=""20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:22
S13	4	((("5485455") or ("5640384"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:34
S14	182	(370/221).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:41
S15	2231	"ad hoc" adj network\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:42
S16	0	S15 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:41
S17	0	("ad hoc" adj network@2) and (user or client or person or "user computer") same (monitor same bandwidth) and @ad<=""20001220""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:42
S18	672	"ad hoc" adj network\$2 and ((data or audio or video or information) adj2 (transfer\$4 or send\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:43
S19	78	"ad hoc" adj network\$2 and ((data or audio or video or information) adj2 (transfer\$4 or send\$4)) and @ad<=""20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:43

S20	3	"ad hoc" adj network\$2 and ((data or audio or video or information) adj2 (transfer\$4 or send\$4)) and (monitor same bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:44
S21	6	"ad hoc" adj network\$2 and ((data or audio or video or information) adj2 (transfer\$4 or send\$4)) and (monitor\$4 same bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 16:44
S22	6	"ad hoc" adj network\$2 and ((data or audio or video or information) adj2 (transfer\$4 or send\$4)) and (monitor\$4 same (bandwidth or "bit rate")) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:10
S23	60	((transfer\$4 or transmit\$4) adj2 (audio or video or information or data)) same (monitor\$4 adj2 (bandwidth or "bit rate"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:12
S24	29	((transfer\$4 or transmit\$4) adj2 (audio or video or information or data)) same (monitor\$4 adj2 (bandwidth or "bit rate")) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:17
S25	1034	(709/232).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:22
S26	1661	709/232 and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:22
S27	20037761	I25and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:22
S28	4987541	I25and @ad>="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:23
S29	397	S25 and @ad>="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:23

S30	636	S25 and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:23
S31	20037761	S25 and "bandwidth.ab. and" @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:23
S32	62	S25 and bandwidth.ab. and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:34
S33	1313	(709/231).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:34
S34	46	S33 and bandwidth.ab. and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:34
S35	449	(user or client or person or "user computer") same (monitor same bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:53
S36	101	(user or client or person or "user computer") with (monitor same bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 17:25
S37	3	(user or client or person or "user computer") with (monitor same bandwidth) same (re\$order or re\$arrange or re\$number) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 17:26
S38	318	priority adj2 bandwidth and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 11:18
S39	29	priority adj2 bandwidth and monitor same (client or user) same bandwidth and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 11:19

S40	29	priority adj2 bandwidth and (monitor same (client or user) same bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:05
S41	648	(node or device or router) same (monitor same bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:54
S42	648	(node or device or router) same (monitor same bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:54
S43	79	(node or device or router) same (monitor same bandwidth) same (re\$order or chang\$4) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:02
S44	3	(intelligent) adj2 (node or device or router) same (monitor same bandwidth) same (re\$order or chang\$4) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:57
S45	80	(node or device or router or repeater or peer) same (monitor same bandwidth) same (re\$order or chang\$4) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:03
S46	1	S45 not S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:02
S47	1	(repeater or peer) same (monitor same bandwidth) same (re\$order or chang\$4) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:03
S48	2	(repeater or peer) same (monitor\$4 same bandwidth) same (re\$order or chang\$4) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:04
S49	62	(repeater or peer) same (monitor\$4 same bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:04

S50	20	(repeater or peer) same (monitor\$4 with bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:10
S51	246	(router or switch) same (monitor\$4 with bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:10
S52	110	(router or switch) with (monitor\$4 with bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:10
S53	20	(router or switch) with (monitor\$4 with bandwidth) same (chang\$4 or re\$order or modif\$4) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:17
S54	32535	(re\$order\$4 or (chang\$4 adj2 order) or re\$position\$4) with (router or device or peer or repeater) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:20
S55	112	(re\$order\$4 or (chang\$4 adj2 order) or re\$position\$4) with (router or device or peer or repeater) same (bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:21
S56	2	(re\$order\$4 or (chang\$4 adj2 order) or re\$position\$4) with (router or device or peer or repeater) same (monitor) with (bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:30
S57	23	(client or device or router or node or repeater) adj2 (monitor\$4) adj3 (bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:34
S58	0	(client or device or router or node or repeater) adj2 (monitor\$4) adj3 (bandwidth) and (chang\$4 or re\$order\$4 or (modif\$4 adj2 order)) same topography and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:36
S59	17	(client or device or router or node or repeater) adj2 (monitor\$4) adj3 (bandwidth) and (chang\$4 or re\$order\$4 or (modif\$4 adj2 order)) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:43

S60	32	(client or device or router or node or repeater) with (monitor\$4) with (bandwidth) and (re\$order\$4 or (modif\$4 adj2 order)) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:44
S61	32	S60 not S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:43
S62	10	(client or device or router or node or repeater) with (monitor\$4) with (bandwidth) and (re\$order\$4 or (modif\$4 adj2 order)) with (client or device or router or node or repeater) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:45
S63	0	(client or device or router or node or repeater) with (monitor\$4) with (bandwidth) and ( (modif\$4 adj2 order)) with (client or device or router or node or repeater) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:45
S64	0	(client or device or router or node or repeater) with (monitor\$4) with (bandwidth) and ( (modif\$4 adj2 order)) same (client or device or router or node or repeater) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:45
S65	40	priority adj2 bandwidth and (monitor same (client or user or device or node or repeater) same bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:05
S66	0	priority adj2 bandwidth and (monitor same (client or user or device or node or repeater) same bandwidth) and (chang\$4 or modif\$4 ) adj2 order and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:06
S67	8	priority adj2 bandwidth and (monitor same (client or user or device or node or repeater) same bandwidth) and (chang\$4 or modif\$4) with order and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:07
S68	20	priority adj2 bandwidth and (monitor same (client or user or device or node or repeater)) and (chang\$4 or modif\$4) with order and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:07

S69	12	S68 not S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:08
S70	1071	(chang\$4 or modif\$4) adj2 topology and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:09
S71	8	(chang\$4 or modif\$4) adj2 topology and (monitor with bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:09
S72	187	(node or router or gateway or switch or peer) same monitor with bandwidth and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:25
S73	26	((node or router or gateway or switch or peer) same monitor with bandwidth).ab,ti. and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:18
S74	161	S72 not S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:34
S75	1159	(compar\$4) adj2 bandwidth and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 16:35
S76	2	(compar\$4) adj2 bandwidth same monitor near2 bandwidth and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 08:03
S78	1239	(chang\$4 or modif\$4) with network with (topology or star or circle or tree) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 08:04
S79	14	(chang\$4 or modif\$4) with network with (topology or star or circle or tree) and (monitor) with band\$width and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 08:46

S80	10	(distribut\$4) with network same monitor with bandwidth and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 08:52
S81	1836	(client or device or router or switch or gateway or repeater or peer) same monitor with (bandwidth or link) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 08:53
S82	39	(client or device or router or switch or gateway or repeater or peer) same monitor with (bandwidth or link) and (chang\$4 or modif\$4 or terminat\$4 or connect) near2 (client or device or router or switch or gateway or repeater or peer) near2 (link or bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 08:59
S83	1	monitor adj2 (link or bandwidth) same (chang\$4 or modif\$4 or terminat\$4 or connect) near2 (client or device or router or switch or gateway or repeater or peer) near2 (link or bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 08:59
S84	12	monitor adj2 (link or bandwidth) and (chang\$4 or modif\$4 or terminat\$4 or connect) near2 (client or device or router or switch or gateway or repeater or peer) near2 (link or bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 09:00
S85	41	S84 not S83 or S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 09:00
S86	11	S84 not (S83 and S82)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 09:00
S87	12	monitor adj2 (link or bandwidth) and (chang\$4 or modif\$4 or terminat\$4 or connect) near2 (client or device or router or switch or gateway or repeater or peer) near2 (link or bandwidth) and @ad<="20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:45